GENERAL CATALOGUE

FACADE CLADDING

HY TEK FLOORING

WALLS AND CEILINGS

BLOCK TEK DECKING

Parklex



FACADE CLADDING

HY TEK FLOORING

WALLS AND CEILINGS

BLOCK TEK DECKING

Parklex[®]







Wood has been the raw material of our work since 1966. We have in-depth knowledge of wood for use in architecture. Year after year, we improve our products to meet the technical requirements as regards applications on façades, on coverings and floors for interiors and exteriors that require zero maintenance, whilst always researching new ways to enhance the beauty of this unique material.

Facade is a laminated wood board for exteriors that requires zero maintenance.

The panels combine the virtues of wood, its natural warmth and beauty, with technical requirements to ensure optimum performance on exteriors over time.

Facade can be installed as a ventilated façade by way of louvres or overlapping slats, on false ceilings and on curved walls.







Hy Tek is a zero-maintenance wood floor for interiors that is ideal for high-traffic areas such as hotels, offices, museums, airports and shops.

Our new woods combine their natural virtues, touch and warmth, with the technical requirements to ensure optimum installation in residential or commercial spaces.

The anti-damp treatment on the surface can be applied to all finishes and woods, and enables Hy Tek floors to be installed in areas where there is frequent contact with water.





Our range for walls and ceilings offers three main types of technical natural wood cladding for interiors that requires zero maintenance.

Dry Internal has been designed for high-traffic areas such as museums, offices, hotels or institutional buildings.

Wet Internal is highly resistant to damp, which makes it ideal for bathrooms, gyms, saunas and swimming pools.

Acoustic has been designed for projects that require a certain level of sound absorption, such as convention halls, auditoriums, lecture halls and theatres.



Block Tek is a high-density composite floor for exteriors that is highly resistant to atmospheric changes in moisture and temperature.

It repels stains, mould and bacteria, so it is ideal for terraces and the area around swimming pools. It has obtained a rating of Class 3, which is the highest slip resistance rating according to the UNE-ENV 12633 standard.

EDITING & PRODUCTION PARKLEX INTERNATIONAL S.L.U.

ART DIRECTION JAUME RAMÍREZ STUDIO

TEXT CHESCA GUIM

PHOTOGRAPHY MARÇAL VAQUER YOSIGO

PRINTED IN BARCELONA BY AGPOGRAF SEPTEMBER 2018

